

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S1	486	(request same ACK).AB.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/06/18 13:54
S2	382	S1 and (@ad<"19991116" or @rlad<"19991116")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/06/18 14:29
S3	1743	(request same packet same (acknowledgment or ACK))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/06/18 14:30
S4	977	S3 and (@ad<"19991116" or @rlad<"19991116")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/06/18 14:30
S5	173	S4 and control and parity	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/06/18 14:31
S6	1	("6335932").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2005/04/22 09:37
S7	1	("5828856").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2004/01/13 10:52
S8	1	("5805927").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2004/01/13 10:58
S9	560	370/235.ccls. and (@ad<"19991116" or @prad<"19991116" or @rlad<"19991116")	US-PGPUB; USPAT	OR	OFF	2004/01/14 08:21
S10	419	(370/235.ccls. and (@ad<"19991116" or @prad<"19991116" or @rlad<"19991116")) and packet\$	US-PGPUB; USPAT	OR	OFF	2004/01/13 11:00
S11	16	((370/235.ccls. and (@ad<"19991116" or @prad<"19991116" or @rlad<"19991116")) and packet\$) and parity	US-PGPUB; USPAT	OR	OFF	2004/01/13 11:25

S12	274	((370/235.ccls. and (@ad<"19991116" or @prad<"19991116" or @rlad<"19991116")) and packet\$) and request\$	US-PGPUB; USPAT	OR	OFF	2004/01/13 11:26
S13	92	((370/235.ccls. and (@ad<"19991116" or @prad<"19991116" or @rlad<"19991116")) and packet\$) and request\$) and acknowledg\$	US-PGPUB; USPAT	OR	OFF	2004/01/13 12:07
S14	366	370/229.ccls. and (@ad<"19991116" or @prad<"19991116" or @rlad<"19991116")	US-PGPUB; USPAT	OR	OFF	2004/01/13 12:07
S15	188	370/231.ccls. and (@ad<"19991116" or @prad<"19991116" or @rlad<"19991116")	US-PGPUB; USPAT	OR	OFF	2004/01/13 15:02
S16	1016	(370/235.ccls. and (@ad<"19991116" or @prad<"19991116" or @rlad<"19991116")) or (370/229.ccls. and (@ad<"19991116" or @prad<"19991116" or @rlad<"19991116")) or (370/231.ccls. and (@ad<"19991116" or @prad<"19991116" or @rlad<"19991116"))	US-PGPUB; USPAT	OR	OFF	2004/01/13 12:08
S17	759	((370/235.ccls. and (@ad<"19991116" or @prad<"19991116" or @rlad<"19991116")) or (370/229.ccls. and (@ad<"19991116" or @prad<"19991116" or @rlad<"19991116")) or (370/231.ccls. and (@ad<"19991116" or @prad<"19991116" or @rlad<"19991116")) and packet\$	US-PGPUB; USPAT	OR	OFF	2004/01/13 12:09
S18	418	((370/235.ccls. and (@ad<"19991116" or @prad<"19991116" or @rlad<"19991116")) or (370/229.ccls. and (@ad<"19991116" or @prad<"19991116" or @rlad<"19991116")) or (370/231.ccls. and (@ad<"19991116" or @prad<"19991116" or @rlad<"19991116")) and packet\$) and (request or reply)	US-PGPUB; USPAT	OR	OFF	2004/01/13 12:09

S19	260	(((((370/235.ccls. and (@ad<"19991116" or @prad<"19991116" or @rlad<"19991116")) or (370/229. ccls. and (@ad<"19991116" or @prad<"19991116" or @rlad<"19991116")) or (370/231. ccls. and (@ad<"19991116" or @prad<"19991116" or @rlad<"19991116")))) and packet\$) and (request or reply)) and (string\$ or group\$)	US-PGPUB; USPAT	OR	OFF	2004/01/13 14:20
S20	1082	370/468.ccls. and (@ad<"19991116" or @prad<"19991116" or @rlad<"19991116")	US-PGPUB; USPAT	OR	OFF	2004/01/13 15:45
S21	733	(370/468.ccls. and (@ad<"19991116" or @prad<"19991116" or @rlad<"19991116")) and request\$	US-PGPUB; USPAT	OR	OFF	2004/01/13 15:03
S22	514	((370/468.ccls. and (@ad<"19991116" or @prad<"19991116" or @rlad<"19991116")) and request\$) and packet\$	US-PGPUB; USPAT	OR	OFF	2004/01/13 15:03
S23	177	(((((370/468.ccls. and (@ad<"19991116" or @prad<"19991116" or @rlad<"19991116")) and request\$) and packet\$) and (ACK or acknowledged\$)	US-PGPUB; USPAT	OR	OFF	2004/01/13 15:04
S24	193	370/461.ccls. and (@ad<"19991116" or @prad<"19991116" or @rlad<"19991116")	US-PGPUB; USPAT	OR	OFF	2004/01/13 15:45
S25	484	370/462.ccls. and (@ad<"19991116" or @prad<"19991116" or @rlad<"19991116")	US-PGPUB; USPAT	OR	OFF	2004/01/13 15:45
S26	1697	(370/468.ccls. and (@ad<"19991116" or @prad<"19991116" or @rlad<"19991116")) or (370/461. ccls. and (@ad<"19991116" or @prad<"19991116" or @rlad<"19991116")) or (370/462. ccls. and (@ad<"19991116" or @prad<"19991116" or @rlad<"19991116"))	US-PGPUB; USPAT	OR	OFF	2004/01/13 15:48
S27	255	(request\$ same packet\$ same station\$).AB.	US-PGPUB; USPAT	OR	OFF	2004/01/13 15:48

S28	1	("5781745").PN.	USPAT; USOCR	OR	OFF	2004/01/13 16:27
S29	366	370/229.ccls. and (@ad<"19991116" or @prad<"19991116" or @rlad<"19991116")	US-PGPUB; USPAT	OR	OFF	2004/01/14 08:22
S30	188	370/231.ccls. and (@ad<"19991116" or @prad<"19991116" or @rlad<"19991116")	US-PGPUB; USPAT	OR	OFF	2004/01/14 08:22
S31	560	370/235.ccls. and (@ad<"19991116" or @prad<"19991116" or @rlad<"19991116")	US-PGPUB; USPAT	OR	OFF	2004/01/14 08:22
S32	1082	370/468.ccls. and (@ad<"19991116" or @prad<"19991116" or @rlad<"19991116")	US-PGPUB; USPAT	OR	OFF	2004/01/14 08:22
S33	193	370/461.ccls. and (@ad<"19991116" or @prad<"19991116" or @rlad<"19991116")	US-PGPUB; USPAT	OR	OFF	2004/01/14 08:22
S34	484	370/462.ccls. and (@ad<"19991116" or @prad<"19991116" or @rlad<"19991116")	US-PGPUB; USPAT	OR	OFF	2004/01/14 08:22
S35	2610	(370/229.ccls. and (@ad<"19991116" or @prad<"19991116" or @rlad<"19991116")) or (370/231. ccls. and (@ad<"19991116" or @prad<"19991116" or @rlad<"19991116")) or (370/235. ccls. and (@ad<"19991116" or @prad<"19991116" or @rlad<"19991116")) or (370/468. ccls. and (@ad<"19991116" or @prad<"19991116" or @rlad<"19991116")) or (370/461. ccls. and (@ad<"19991116" or @prad<"19991116" or @rlad<"19991116")) or (370/462. ccls. and (@ad<"19991116" or @prad<"19991116" or @rlad<"19991116"))	US-PGPUB; USPAT	OR	OFF	2004/01/14 08:24

S36	2159	((370/229.ccls. and (@ad<"19991116" or @prad<"19991116" or @rlad<"19991116")) or (370/231. ccls. and (@ad<"19991116" or @prad<"19991116" or @rlad<"19991116")) or (370/235. ccls. and (@ad<"19991116" or @prad<"19991116" or @rlad<"19991116")) or (370/468. ccls. and (@ad<"19991116" or @prad<"19991116" or @rlad<"19991116")) or (370/461. ccls. and (@ad<"19991116" or @prad<"19991116" or @rlad<"19991116")) or (370/462. ccls. and (@ad<"19991116" or @prad<"19991116" or @rlad<"19991116")))) and (packet\$ or frame\$)	US-PGPUB; USPAT	OR	OFF	2004/01/14 08:28
S37	626	((370/229.ccls. and (@ad<"19991116" or @prad<"19991116" or @rlad<"19991116")) or (370/231. ccls. and (@ad<"19991116" or @prad<"19991116" or @rlad<"19991116")) or (370/235. ccls. and (@ad<"19991116" or @prad<"19991116" or @rlad<"19991116")) or (370/468. ccls. and (@ad<"19991116" or @prad<"19991116" or @rlad<"19991116")) or (370/461. ccls. and (@ad<"19991116" or @prad<"19991116" or @rlad<"19991116")) or (370/462. ccls. and (@ad<"19991116" or @prad<"19991116" or @rlad<"19991116")))) and (packet\$ or frame\$)) and request\$ and (acknowledg\$ or ACK or reply\$)	US-PGPUB; USPAT	OR	OFF	2004/01/14 08:29

S38	76	(((((370/229.ccls. and (@ad<"19991116" or @prad<"19991116" or @rlad<"19991116")) or (370/231. ccls. and (@ad<"19991116" or @prad<"19991116" or @rlad<"19991116")) or (370/235. ccls. and (@ad<"19991116" or @prad<"19991116" or @rlad<"19991116")) or (370/468. ccls. and (@ad<"19991116" or @prad<"19991116" or @rlad<"19991116")) or (370/461. ccls. and (@ad<"19991116" or @prad<"19991116" or @rlad<"19991116")) or (370/462. ccls. and (@ad<"19991116" or @prad<"19991116" or @rlad<"19991116")))) and (packet\$ or frame\$)) and request\$ and (acknowledg\$ or ACK or reply\$)) and parity	US-PGPUB; USPAT	OR	OFF	2004/01/14 10:37
S39	264	(packet\$ or frame\$) same request\$ same parity same control	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/01/14 10:39
S40	197	((packet\$ or frame\$) same request\$ same parity same control) and (@ad<"19991116" or @prad<"19991116" or @rlad<"19991116")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/01/14 10:56
S41	44013	(flow with control).TI.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/01/14 10:57
S42	37453	((flow with control).TI.) and (@ad<"19991116" or @prad<"19991116" or @rlad<"19991116")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/01/14 10:57
S43	6940	(packet\$ same request\$).AB.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/01/14 10:59
S44	4458	((packet\$ same request\$).AB.) and (@ad<"19991116" or @prad<"19991116" or @rlad<"19991116")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/01/14 11:00

S45	41	((flow with control).TI.) and (@ad<"19991116" or @prad<"19991116" or @rlad<"19991116")) and (((packet\$ same request\$).AB.) and (@ad<"19991116" or @prad<"19991116" or @rlad<"19991116"))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/01/14 11:00
S46	598	370/235.ccls. and (@ad<"19991116" or @rlad<"19991116")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/06/18 10:22
S47	414	(370/235.ccls. and (@ad<"19991116" or @rlad<"19991116")) and packet	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/06/18 10:22
S48	9	(370/235.ccls. and (@ad<"19991116" or @rlad<"19991116")) and (packet same request same ACK)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/06/18 11:40
S49	1961	370/461,462,468.ccls. and (@ad<"19991116" or @rlad<"19991116")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/06/18 11:41
S50	85	(370/461,462,468.ccls. and (@ad<"19991116" or @rlad<"19991116")) and (request same ACK)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/06/18 13:53
S56	1	("6850521").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2005/04/22 10:18
S57	11493	request and ACK	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/22 09:49
S58	6405	S57 and (@ad<"19991116" or @rlad<"19991116")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/22 09:49
S59	579	S58 and (corrupt\$2 and detect\$2)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/22 09:50

S60	534	S59 and (control and (ID or identif\$4))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/22 09:51
S61	201	S60 and parity	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/22 10:45
S62	1	("6795447").PN.	USPAT	OR	OFF	2005/04/22 10:15
S63	1	S62 and (request and ACK)	USPAT	OR	OFF	2005/04/22 10:16
S64	1	S63 and (control or ID)	USPAT	OR	OFF	2005/04/22 10:16
S66	1	S63 and (corrupt or detect)	USPAT	OR	OFF	2005/04/22 10:16
S67	1	S56 and (request and ACK)	US-PGPUB; USPAT	OR	OFF	2005/04/22 10:19
S68	1	S67 and (control or ID)	US-PGPUB; USPAT	OR	OFF	2005/04/22 10:19
S69	1	S67 and (corrupt or detect)	US-PGPUB; USPAT	OR	OFF	2005/04/22 10:21
S70	1	S69 and ("request" and "ACK")	US-PGPUB; USPAT	OR	OFF	2005/04/22 10:22
S71	1	S70 and "ID"	US-PGPUB; USPAT	OR	OFF	2005/04/22 10:22
S72	1	S71 and "control"	US-PGPUB; USPAT	OR	OFF	2005/04/22 10:22
S73	84006	"370"/\$	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/22 10:46
S75	57089	S73 and (@ad<"19991116" or @rlad<"19991116")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/22 10:46
S76	5413	S75 and ("request" and ("acknowledge" or "ACK"))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/22 10:48
S77	840	S76 and corrupt\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/22 10:49